



1 FINISH: $1,27 \mu\text{m}$ MIN OF NICKEL ALL OVER. FROM $1 \mu\text{m}$ TO $3 \mu\text{m}$ OF TIN ON LOCALIZED CONTACT PLATING AREA AND $0,8 \mu\text{m}$ MIN ON REMAINDER AREAS.
 FINITURA: $1,27 \mu\text{m}$ MIN DI NICKEL COME SOTTOSTRATO. DA $1 \mu\text{m}$ A $3 \mu\text{m}$ DI STAGNO SULL'AREA DI CONTATTO. $0,8 \mu\text{m}$ MIN DI STAGNO SULLE AREE RIMANENTI.

2 FOR MINI APPLICATOR.
 PER MINI APPLICATORE.

3 FOR APPLICATIONS IN CONNECTORS WITH MORE THAN 6 POSITIONS, THE CONTACT MUST BE LUBRICATED.
 PER APPLICAZIONI IN CONNETTORI CON PIU' DI 6 VIE, IL CONTATTO DEVE ESSERE LUBRIFICATO.

1		PHOS. BRONZE BRONZO FOSFOROSO	2	282618-1
FINITURA / COLORE (FINISH / COLOUR)		MATERIALE (MATERIAL)	NUMERO (PART NUMBER)	
CUSTOMER DWG. FOR REFERENCE ONLY		DISEGNO PER CLIENTE SOLO PER RIFERIMENTO		
THIS DRAWING IS UNPUBLISHED		RELEASE FOR PUBLICATION 19		
© COPYRIGHT 19 BY AMP INCORPORATED, HARRISBURG, PA ALL INTERNATIONAL RIGHT RESERVED AMP PRODUCTS MAY BE COVERED BY U.S. AND FOREIGN PATENT AND/OR PATENT PENDING				
TOLLERANZE SE NON DIVERSAMENTE SPECIFICATO (TOLERANCES, UNLESS OTHERWISE SPECIFIED)		DIAM. ISOLANTE (INS. DIA RANGED)	RANGO FILO (WIRE RANGES)	SCALA (SCALE)
$\pm .005$		040 - 056 inch 1,0 / 1,4 mm.	22 / 26 AWG 0,32 / 0,13 mm ²	6:1
C	ADDED NOTE ET00-0061-95	05 FEB 1996	AMP AMP ITALIA S.p.A. Corso F.lli Cervi, 15 COLLEGNO (TORINO)	
B	REDRAWN BY CAD & REVISED ET00-0004-95	03 FEB 1995	DESCRIZIONE (DESCRIPTION)	
A	RELEASED FOR PRODUCTION ET00-0246-94	14 DEC 1994	FFC PIN CONTACT	
O	FIRST ISSUE	S.M.	LOC	SIZE
REV	REVISIONI (REVISION RECORD)	DIS (DR)	NUMERO (DWG NO)	REV
			IA3C-282618	8
				FOGLIO (SHEET)
				1 OF 1

DISTRIBUTIONE
(PRINT DIST.)