



POWER CONTACTS



TE CONNECTIVITY (TE) DUAC SOCKET CONTACT LP AMP-DUAC | VAL-U-LOK

1-106529-2
TE Internal Number: 1-106529-2

Always EU RoHS/ELV Compliant

Product Type **Contact**

Wire/Cable Size (AWG) **22 – 18**

Wire/Cable Size (mm²) **.3 – .87**

Contact Type **Socket**

Contact Mating Area Plating Material **Pre-Tin**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[SOCKET CONTACT AMP-DUAC](#)

PDF
English

CAD Files

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
English

Catalog Pages/Data Sheets

[SOFT_SHELL_PIN_AND_SOCKET_CONNECTORS_CATALOG](#)

PDF
English

Product Specifications

Product Specification

[AMP DUAC Socket Connector](#)

PDF
English

Application Specification

[AMP DUAC Socket Connector](#)

TIF
English

[AMP-DUAC Headers And Connectors](#)

PDF
English

Qualification Test Report

[AMP DUAC Socket Connector](#)

PDF
English

Product Environmental Compliance

TE Material Declaration


[MD_1-106529-2_0503201451_dmtec](#)
PDF

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Product Type	Contact
Contact Features	Contact Type	Socket
	Contact Mating Area Plating Material	Pre-Tin
Termination Features	Wire/Cable Size (AWG)	22 – 18
	Wire/Cable Size (mm ²)	.3 – .87
Dimensions	Accepts Wire Insulation Diameter Range	1.5 – 2.4 mm [.059 – .094 in]
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	500
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT


POWER CONTACTS



AMP DUAC PIN 22-18 AWG TIN LP
794577-1

[Save to List](#)
[Find Similar Products](#)


RECTANGULAR POWER CONNECTORS



20P DUAC REC HSG
2-106527-0

[Save to List](#)
[Find Similar Products](#)


RECTANGULAR POWER CONNECTORS



16P VAL-U-LOK VRT HDR W/P V2
1-1586039-6

[Save to List](#)
[Find Similar Products](#)

POWER CONTACTS



AMP DUAC PIN 22-18 AWG TIN
794576-1

[Save to List](#)
[Find Similar Products](#)

Products - 5 Results

[View All](#)

[Compare 0/10](#)

Relation Type ▼

RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-AT-S-FM-062F110F-
001-0172 - 2151122-1**

TE INTERNAL NUMBER: 2151122-1

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN -
Atlantic**

Applicator Feed Style **Side Feed**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-PA-S-FA-062F110F-
001-0172 - 2-2151122-2**

TE INTERNAL NUMBER: 2-2151122-2

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN - Pacific**

Applicator Feed Style **Side Feed**



RELATIONSHIP

Toolings

Tooling

[See All Toolings](#)



PRODUCT - TOOLINGS

Application Tooling - OCEAN Applicators
AMP

**OC-PA-S-FM-062F110F-
001-0172 - 2-2151122-1**

TE INTERNAL NUMBER: 2-2151122-1

✓ Active

Not in Scope for EU RoHS/ELV
Compliance

Region **Worldwide**

Tool Type **Applicator**

Spare Parts Tooling **No**

Applicator Style **OCEAN - Pacific**

Applicator Feed Style **Side Feed**

